

Safety Data Sheet

Ultra-Wash Car Shampoo with Acrylic Wax | C110

Section 1 - Identification of The Material and Supplier

Hose-Pro International Pty Ltd 1/108 Old Pittwater Road, Brookvale NSW 2100 Phone: 02 9939 4171

Emergency phone: 13 11 26

Chemical Nature: Water Soluble Vehicle Cleaning Gel

Trade Name: Hoselink Ultra-Wash Car Shampoo

Creation Date: November 2018

This Version Issues: November 2018 and is valid for 5 years from this date. Poisons information centre phone: 13 11 26 from anywhere in Australia

Section 2 – Hazards Identification

Statement of Hazardous Nature

This product is classified as: Not classified as hazardous according to the criteria of SWA.

Not a Dangerous Good according to Australia Dangerous Goods (ADG) Code, IATA or IMDG/IMSBC criteria.

SUSMP Classification: None allocated.

ADG Classification: None allocated. Not a Dangerous Good according to Australia Dangerous Goods (ADG) Code, IATA or IMDG/IMSBC criteria. UN Number: None Allocated GHS Signal Words: NONE. Not hazardous.

PREVENTION

P102: Keep out of reach of children.P262: Do not get in eyes.P281: Use personal protective equipment as required.

RESPONSE

P353: Rinse skin or shower with water.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P332+P313: If skin irritation occurs: Get medical advice.

P337+P313: If eye irritation persists: Get medical advice.

P370+P378: Not combustible. Use extinguishing media suited to burning materials.

STORAGE

P402+P404: Store in a dry place. Store in a closed container.

DISPOSAL

P501: Dispose of small quantities and empty containers by wrapping with paper and putting in garage. For larger quantities, if recycling or reclaiming is not possible, use a commercial waste disposal service.

Section 3 - Composition/information on ingredients

Ingredients	CAS No	STEL (mg/m3)
ANIONIC SURFACTANTS	Not Available	10-30% weight
non-ionic surfactants	Not Available	0-9% weight
inorganic sequestering agents	Not Available	0-9% weight
Colour	Not Available	Not Spec.
Water	7732-18-5	>50% weight

Section 4 – First-Aid Measures

Inhalation

If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.

Ingestion

If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice.

Skin

If skin contact occurs:

Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.

Eye contact

If this product comes in contact with the eyes:

Wash out immediately with fresh running water.

Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.

Seek medical attention without delay; if pain persists or recurs seek medical attention.

Removal of contact lenses after eye injury should only be undertaken by skilled personnel.

Indication of immediate medical attention and special treatment needed if necessary. Treat symptomatically.

Section 5 - Fire-fighting Measures

Suitable Extinguishing Media

There is no restriction on the type of extinguisher which may be used. Use extinguisher media suitable for surrounding area.

Specific Methods

Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses.

Use firefighting procedures suitable for surrounding area.

Specific Hazards Arising From The Chemical

Fire Incompatibility: None known.

Fire/Explosion Hazard: Non-combustible.

Not considered to be a significant fire risk. Expansion or decomposition on heating may lead to violent rupture of containers. Decomposes on heating and may produce toxic fumes of carbon monoxide (CO). Decomposition Temperature Not Available

Section 6 – Accidental Release Measures

HOSELINK

Safety Data Sheet

Ultra-Wash Car Shampoo with Acrylic Wax | C110

Clean-up Methods – Small Spillages

Slippery when split. Clean up all spills immediately. Avoiding breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite.

Clean-up Methods – Large Spillages

Slippery when split. Minor Hazard. Clear area of personnel. Alert Fire Brigade and tell them location and nature of hazard. Control personal contact with the substance, by using protective equipment as required.

Other Information

Personal Protection Equipment advice is contained in Section 8 of the SDS.

Section 7 – Handling and Storage

Precautions of Safe Handling

Safe Handling: Limit all unnecessary personal contact. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. When handling DO NOT eat, drink or smoke. DO NOT allow clothing wet with material to stay in contact with skin

Other Information:

Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials foodstuff containers.

Conditions for safe storage, including any incompatibilities

Suitable container:

Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.

Storage incompatibility: None known.

Section 8 - Exposure Controls / Personal Protection

Occupational exposure limit values Control parameters: OCCUPATIONAL EXPOSURE LIMITS (OEL): INGREDIENT DATA: Not Available

EMERGENCY LIMITS: Ingredient Hoselink Ultra Wash Car Shampoo Material name: Not Available Ingredient: anionic surfactants Ingredient: non-ionic surfactants Ingredient: inorganic sequestering agents Ingredient: colour Ingredient: water

Appropriate Engineering Controls General exhaust is adequate under normal operating conditions.

Eye Protection Safety glasses with side shields; or as required, Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may

absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption of the class of chemicals in use and an account of injury experience.

Hand Protection

Wear chemical protective gloved, e.g. PVC.

Thermal Hazards

Not Available

Footwear Wear safety footwear or safety gumboots, e.g. Rubber

Body Protection

Overalls Eyewash unit.

Section 9 – Physical and Chemical Properties

Form: Liquid Appearance: Opaque Blue viscous liquid; mixes with water. Odour: Cherry Decomposition Temperature: Not Available Solubility in Water: Miscible PH: 7.5-8.5 (as supplied) Not Available (as a solution (1%)) Vapour Pressure: 2.3kPa @ 20 C Vapour Density (Air=1): Not Available Evaporation Rate: Same as water Physical State: Liquid Odour Threshold: Not Available Viscosity: Not Available Volatile Component: Not Available Partition Coefficient: n-octanol/water: Not Available Surface tension: Not Available Flash Point: Not Applicable Flammability: Not Applicable Auto-Ignition Temperature: Not Applicable Explosion Limit – Upper: Not Applicable Explosion Limit - Lower : Not Applicable Explosion Properties : Not Available Molecular Weight: Not Applicable Oxidising Properties: Not Available Initial boiling point and boiling range: 107°C Relative density: 1.075 approx. (Water = 1) Melting/Freezing Point: Not Available

Other Information Taste: Not Available Gas group: Not Available VOC g/L: Not Available

Section 10 - Stability and Reactivity

Reactivity See section 7 Chemical Stability Unstable in the presence of incompatible materials. Product is considered stable Hazardous polymerisation will not occur. Conditions to Avoid See section 7 Incompatible material See section 7

HOSELINK

Hazardous Decomposition Products See section 5 Possibility of hazardous reactions See Section 7

Section 11 – Toxicological Information

Toxicology Information

Hoselink Ultra-Wash Car Shampoo TOXICITY: Not Available IRRITAION: Not Available

Water TOXICITY: Oral (rat) LD50: >90000 mg/kg [2] IRRITAION: Not Available

Legend: 1. Value obtained from Europe ECHA Registered Substances – Acute toxicity 2. * Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS – Register of Toxic Effect of chemical Substances

Hoselink Ultra-Wash Car Shampoo Not Available.

WATER:

No Significant acute toxicological data identified in literature search. Acute Toxicity: Data Not Available to make classification

Ingestion

Accidental ingestion of the material may be damaging to the health of the individual

Inhalation

There is some evidence to suggest that the material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage.

Skin

Skin contact is not thought to have harmful health effects (as classified under EC Directives); the material may still produce health damage following entry through wounds, lesions or abrasions. There is some evidence to suggest that this material can cause inflammation of the skin on contact in some persons. Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, though, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.

Eye

There is some evidence to suggest that this material can cause eye irritation and damage in some persons.

Skin corrosion/irritation

Data Not Available to make classification Serious eye damage/irritation Data Not Available to make classification Mutagenicity Data Not Available to make classification Respiratory Sensitisation Data Not Available to make classification Skin Sensitisation Data Not Available to make classification Carcinogenicity Data Not Available to make classification Reproductive Toxicity

Safety Data Sheet

Ultra-Wash Car Shampoo with Acrylic Wax | C110

Data Not Available to make classification **STOT-single exposure** Data Not Available to make classification **STOT-repeated exposure** Data Not Available to make classification **Aspiration Hazard** Data Not Available to make classification **Chronic Effects** Long-term exposure to the product is not thought to produce chronic effects adverse to the health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course.

Section 12 – Ecological Information

Eco toxicity Ingredient: water Endpoint: EC50 Test Duration (hr): 384 Species: Crustacea Value: 199.179mg/L Source: 3

Ingredient: water Endpoint: EC50 Test Duration (hr): 96 Species: Algae or other aquatic plants Value: 8768.874mg/L Source: 3

Ingredient: water Endpoint: LC50 Test Duration (hr): 96 Species: Fish Value: 897.520mg/L Source: 3

Legend:

Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances – Eco toxicological Information – Aquatic Toxicity 3. EPIWIN Suite V3.12 – Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database – Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) – Bio concentration Data 7. METI (Japan) – Bio concentration Data 8. Vendor Data

DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient: water Persistence: Water/Soil: LOW Persistence: Air: LOW

Mobility Mobility in soil: Ingredient: water Mobility: LOW (KOC = 14.3)

Bio accumulative Potential

Ingredient: water Bioaccumulation: LOW (LogKOW = -1.38)

Section 13 – Disposal Considerations

Water Disposal

HOSELINK

Safety Data Sheet

Ultra-Wash Car Shampoo with Acrylic Wax | C110

Product / Packaging disposal:

Recycle wherever possible or consult manufacturer for recycling options. Consult State Land Waste Management Authority for disposal. Bury residue in an authorised landfill. Recycle containers if possible, or dispose of in an authorised landfill.

Section 14 – Transport Information

U.N. Number: None Allocated UN proper shipping name: None Allocated Transport hazard class(es): Non Allocated

Other Information Label Required: Marline Pollutant: NO HAZCHEM: No Applicable Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS Sea Transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS Transport in bulk according to Annex II of Marpol and IBC code: Not

Transport in bulk according to Annex II of Marpol and IBC code: Not Applicable

Section 15 – Regulatory Information

Regulatory information Safety, health and environmental regulations / legislation specific for the substance or mixture: WATER (7732-18-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS: Australia Inventory of Chemical Substances (AICS)

National Inventory: Australia - AICS Status: Y National Inventory: Canada - DSL Status: Y National Inventory: Canada - NDSL Status: N (water) National Inventory: China - IECSC Status: Y National Inventory: Europe - EINEC / ELINCS / NLP Status: Y National Inventory: Japan - ENCS Status: N (water) National Inventory: Korea - KECI Status: Y National Inventory: New Zealand - NzloC Status: Y National Inventory: Philippians - PICCS Status: Y National Inventory: USA - TSCA Status: Y

Legend:

 $Y = All ingredients are on the inventory \\ N = Not determined or one or more ingredients are not on the inventory \\ and are not exempt from listing (see specific ingredients in brackets)$

Poisons Schedule N/A

Section 16 - Other Information

Safety Data Sheet according to WHS and ADG requirements

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

This SDS has been transcribed into Infosfe GHS format from an original, issued by the manufacturer on the date shown. Any disclaimer by the manufacturer may not be included in the transcript.